

MAXDROP™ DROP TESTERS

Extra large free-fall drop testing is now available; introducing the MAXDROP™ SERIES.
Designed to provide repeatable drop testing on the largest test products and packages ever.

TEST WITH CONFIDENCE

The MAXDROP™ SERIES is designed with rigorous testing demands with the customers in mind, plus the convenience offered by a drop tester.
Complies with ISTA, ASTM, ISO, MIL STD, and other internationally recognized test standards.

MAXDROP™ FEATURES


Lead Screw Drive System with Enclosed Four-Tine Vertical Carriage Assembly

- Flatness of drop is maintained with high precision enclosed four-tine support carriage
- Repeatability and reproducibility minimize test variability
- Accelerated drop thrusts carriage ahead of payload
- Separate control enclosure can be positioned by user for convenience
- Rapid drive system for high test output
- New Digital Position with readout
- Easy operation and maintenance
- Flat, edge, and corner drops
- Emergency stop for quick shut down
- Package holding fixture holds package in correct orientation prior to drop

DROP
With
CONFIDENCE



DAS-105 DATA ACQUISITION SYSTEM: DROP & SHOCK



MAXDROP™ OPTIONS


- Extended drop height
- Enlarged base plate for larger packages
- Extended support tines for wider packages
- International power requirements
- Wooden base plate for MIL STD 810 testing
- CE Compliance
- Additional safety interlock
- Available in any international power configuration

MAXDROP™ MODEL

Control Panel



600kg



Payload Capacity

1323 lbs / 600 kg

* Drop Height

2-48 in / 51-1250 mm

* Impact Zone Usable Area

64x 62 in / 1625x 1574 mm (WxD)

* Utility Requirement

3Phase 200-230 VAC
3 Phase 380 VAC

Approximate Weight

12,000 lbs / 5443kg

Approximate Dimensions

85 x 64 x 74 in / 2159 x 1626 x 1880mm (HxWxD)

*Please consult us for non-standard specifications.

Due to our continuous commitment to product development, the above specifications and features may be modified without notice.

